Journal of Paint Technology

Annual Index

Volume 39
Numbers 504-515

January thru December, 1967

Author Index

A

Abd El-Latif, Z. H.—see Ghanem, N. A.

Allen, E. A.—Analytical Color Matching, June, p. 368.

Antlfinger, G. J.—Vinyl Chloride Acrylic Polymers as Exterior Coatings, May, p. 300.

Ashton, H. E.—Clear Finishes for Exterior Wood; Field Exposure Tests, Apr., p. 212.

B

Bacchetta, V. L., Jr.—see Williams, D. M.

Ball, H. P.—Charismatic Chemist, Nov., p. 15A.

Bartosiewicz, R. L.—The Use of Gel Permeation Chromatography As an Analytical Tool in the Coatings Industry, Jan., p. 28.

Beardsley, H. P. and Kennedy, R. J.—Performance Of Exterior Paints Based on a Vinyl Acetate-Ethylene Emulsion Vehicle, Feb., p. 88.

Benesch, W. R.—Coil Coatings, July, p. 454.

Benforado, D. M.—Air Pollution Control by Direct Incineration In the Paint Industry, May, p. 265.

Berg, C. J., Jarosz, W. R., and Salathe, G. F.—Performance of Polymers in Pigmented Systems, July, p. 436.

Berger, H. W.—The Estimation of Molecular Weights Of Vinyl Acetate Copolymers in Latex Paints, May, p. 310.

Bieneman, R. A. and Stromberg, S. E.—Gloss Water Thinned Coatings Resins, May, p. 290.

Bigos, J., Greene, H. H., and Hoover, G. R.—Five Year Test Results: AISI Research on Paintability of Galvanized Steel, May, p. 316.

Bigos, J.—Prepainted Steel for Siding, July, p. 426.

Bilek, J. G., Hughes, H. J. and Stephenson, H. B.—Study of Lead Pigments in Water Thinned Prime Coats for Wood, May, p. 328.

Billmeyer, F. W.—The Look and Think Steps in the Analysis of Color, June, p. 342.

Biteman, J. H.—Formulating Parameters For Organosol Metal Finishes, Jan., p. 51.

Blackinton, R. J.—Statistical Molecular Weight Distribution, Cyclization and Gelling of Alkyd Resin, Oct., p. 606.

Bobalek, E. G., Kendall, H. B., Chae, Y. C., and Moore, E. R.—Polyesterification in Batch and in Falling Film Reactors, Feb., p. 57.

Bobalek, F. J.—see Wolf, P. A.

Boerio, F. J.—See Pierce, P. E.

Boyer, W. L., Manasso, J. A., and Elm, A. C.—Accuracy of Hiding Power Determinations Based on the Kubelka-Munk Theory, Dec., p. 763.

Brewer, G. E. F., Strosberg, G. G., and Horsch, M. E.—Ford Electrocoating Process: Prediction of Corrosion Protection From Salt Spray Tests On Throwing Power, Sept., p. 551.

Briber, R. M.—Problem Solving With a Time-Sharing Computer, May, p. 284.

Briber, R. M.—see Sheerin, T. J.

Brooks, L. E., Sennett, P., and Morris, H. H.—Scanning Electron Micrographs Of Pigmented Paint Films, Aug., p. 472.

C

Chae, Y. C.—see Bobalek, E. G.

Cheever, G. D.—Formation and Growth of Zinc Phosphate Coatings, Jan., p. 1.

Church, R. L.—see Mitton, P. B.

Coe, G. R. and Long, J. S.—Tritium Labeled Metal Surfaces as Radioactive Sources for Thin Films: I. Stability, June, p. 335.

Cote, W. A., Jr.—see Schneider, M. H.

Cowan, J. S.—see Miller, W. R.

Crowley, J. D., Teague, G. S., Jr., and Lowe, J. W., Jr.—A Three Dimensional Approach to Solubility: II, Jan., p. 19.

D

Daiger, W. H. and Madson, W. H.—Chalk-Fade Evaluation of Pigmented Finishes By Use of Instrumentation and Computer Analysis, July, p. 399.

Davidson, H. R.—Colorimetry, June, p. 355.

Donoian, H. C. and Medalia, A. I.—Scattering and Absorption of Light by Carbon Black, Dec., p. 716.

Drisko, R. W.—Deterioration Associated With Painted Markings On Asphalt Pavement, Feb., p. 78.

E

Ellis, J. W.—Metal Preparation for the Coil Coating Industry, July, p. 460.

Elm, A. C.—see Boyer, W. L.

Esposito, G. G. and Swann, M. H.—Identification of Aerosol Propellants In Paint Products by Gas Chromatography, June, p. 338.

Esposito, G. G.—see Swann, M. H.

F

F.ckenscher, J. H.—Acetoxylated Polyethylene: A New Latex Polymer System for Paints, Sept., p. 544.

G

Gans, D. M.—Wetting and Wetting, Aug., p. 501.

Ghanem, N. A. and Abd El-Latif, Z. H.—The Dehydration of Castor Oil By Ion Exchange Resins And Its Subsequent Bodying, Mar., p. 144.

Glaser, M. A. and Rosenberg, P.—Vinyl Dispersion Coatings In the Organic Finishes Industry, Jan. p. 43.

Glass, A. L. and Smith, J.—A Radiochemical Investigation of the Effect of Pigment on the Diffusion of Ions Through Protective Films, Aug., p. 490.

Graver, R. B.—Carboxyl Terminated Resins For Cross-Linking With Epoxidized Oils, Feb., p. 71.

Greene, H. H.—see Kwolek, W. F.

Greenspun, R. L.—see Kwolek, W. F.

H

HANSEN, C. M.—The Three Dimensional Solubility Parameter—Key to Paint Component Affinities: I. Solvents, Plasticizers, Polymers, and Resins, Feb., p. 104.

HANSEN, C. M.—The Three Dimensional Solubility Parameter—Key to Paint Component Affinities: II. Dyes, Emulsifiers, Mutual Solubility and Compatibility, and Pigments, Aug., p. 505.

HANSEN, C. M. and SKAARUP, K.—The Three Dimensional Solubility Parameter—Key to Paint Component Affinities: III. Independent Calculation of the Parameter Components, Aug., p. 511.

HEARST, P. J.—Volatile Degradation Products Of Organic Coatings Irradiated in Air, Mar., p. 119.

HERMAN, H. R.—see Miranda, T. J.

HOLM, R. T.—Ketimines as Latent Epoxy Curing Agents, June, p. 385.

HOLSWORTH, R. M.—see Pierce, P. E.

HOOVER, G. R.—see Bigos, J.

HORSCH, M. E.—see Brewer, G. E. F.

HSU, K. Y.—see Thames, S. F.

HUGHES, H. J.—see Bilek, J. G.

HUNTSBERGER, J. R.—Mechanisms of Adhesion, Apr., p. 199.

J

JAROSZ, W. R.—See Berg, C. J.

JOHNSTON, R. M.—Spectrophotometry for the Analysis And Description of Color, June, p. 346.

JOHNSTON, R. M. and RICHARDS, T. D.—PPG Instrumental Color Control (ICC): Production Methods and Experiences, June, p. 377.

K

KEANE, J. D.—Studies in Painting Structural Steel, Sept., p. 82A.

KEAY, A. M.—see Saltzman, M.

KENDALL, H. H.—see Bobalek, E. G.

KENJO, T.—see Toishi, K.

KENNEDY, R. J.—see Beardsley, H. P.

KENT, M. M.—see Wolf, P. A.

KWOLEK, W. F., PRINCEN, L. H., and GREENSPUN, R. L.—Emulsification of Linseed Oil II. Fitting the Truncated Log Normal Distribution With Coincidence Corrections to Coulter Counter Data, Apr., p. 188.

KWOLEK, W. F.—see Princen, L. H.

L

LALK, R. H.—see Wolf, P. A.

LARSON, E. C., and SIPPLE, H. E.—Los Angeles Rule 66 and Exempt Solvents, May, p. 258.

LEIPERTZ, J.—Laboratory Tests for Customer Product Acceptability, July, p. 433.

LONG, J. S., THAMES, S., and SMITH, O.—Surface Forces and Dimensions, Apr., p. 169.

LONG, J. S.—see Coe, G. R.

LONG, J. S.—see Thames, S. F.

LOWE, J. W., JR.—see Crowley, J. D.

LUND, D. G.—see Swann, M. H.

LUTES, D. K., SR.—Progress in Coil Coating, July, p. 411.

M

MACLAY, W. N.—Synthetic Latices and Their Use In Water-Based Paints, Mar., p. 156.

MADI, A. J.—see Mitton, P. B.

MADSON, W. H.—see Daiger, W. H.

MANASSO, J. A.—see Boyer, W. L.

MARTIN, K. E. and ROLLES, R.—Durability of Precoated Aluminum Products, July, p. 418.

MAURER, J. I.—see Ellis, J. W.

MAYNOR, W. H.—see Ninnis, W. A.

MEDALIA, A. I.—see Donoian, H. C.

MILLER, W. R., PRYDE, E. H., THIERFELDER, C. M., MOOBERRY, E. S., and COWAN, J. C.—Crosslinking of Poly (Ester-and Amide-Acetals): Preliminary Studies With Glass Substrates, June, p. 389.

MILLS, T. L. and YOCUM, R. H.—2-Sulfoethyl Methacrylate as a Comonomeric Emulsifier And Emulsion Stabilizer, Sept. p. 532.

MIRANDA, T. J.—Oxazoline Modified Thermosetting Acrylics, Jan., p. 40.

MIRANDA, T. J., HERMAN, H. R. and ROEDL, H. J.—Diphenolic Acid Ester-Epoxy Polymers, Oct., p. 629.

MITTON, P. B. and CHURCH, R. L.—Measuring and Minimizing the Variability In Evaluating Outdoor Exposure Results, Nov., p. 635.

MITTON, P. B., MADI, A. J., and RODE, J. W.—Development of a Test Method For Hiding Power, Sept., p. 536.

MOOBERRY, E. S.—see Miller, W. R.

MOORE, E. R.—see Bobalek, E. G.

MORRIS, H. H.—see Brooks, L. E.

MYERS, R. R.—Pi-Bonded Structures, Oct., p. 565.

N

NINNIS, W. A. and MAYNOR, W. H.—Motivating for Profit, Feb., p. 15A.

O

O'LEARY, L. A.—Coatings Technologists Meeting Challenge Of Rule 66, Mar., p. 26A.

ORWIG, B. R.—Color, Strength and Dispersibility of Pigments by the Sherwin-Williams Miniature Sand Mill, Jan., p. 14.

P

PATTON, T. C.—Review of Fundamentals and Advances in Urethane Coating Technology, Sept., p. 554.

PETERSON, R. H.—See Rheineck, A. E.

PIERCE, P. E., HOLSWORTH, R. M., BOERIO, F. J.—An Analysis of the Sward Rocker Hardness Test, Oct., p. 593.

PITTMAN, C. U., JR.—Ferrocene-Containing Polymers—Potential Applications, Oct., p. 585.

PRINCEN, L. H. and STOLP, J. A.—Cationic Linseed Oil Emulsion Paints, Oct., p. 616.

PRINCEN, L. H., STOLP, J. A., and KWOLEK, W. F.—Emulsification of Linseed Oil I. Effects of Oil Viscosity, Temperature, Time of Agitation, and Age of Emulsion On Particle Size Distribution, Apr., p. 182.

PRINCEN, L. H.—see Kwolek, W. F.

PRYDE, E. H.—see Miller, W. R.

R

RAUSCH, M. D.—Metallocene Chemistry, Oct., p. 576.
RHEINECK, A. E., PETERSON, R. H., and SASTRY, G. M.—Attenuated Total Reflectance Studies On Drying Oil Films, Aug., p. 484.
RICHARDS, J. H.—Ferrocene Photochemistry, Oct., p. 569.
RICHARDS, T. D.—see Johnston, R. M.
RODE, J. W.—see Mitton, P. B.
ROEDL, H. J.—see Miranda, T. J.
ROLLES, R.—see Martin, K. E.
ROSENBERG, P.—see Glaser, M. A.
ROSS, W. D.—Kubelka-Munk Formulas Adapted For Better Computation, Aug., p. 515.
ROTHSTEIN, E. C.—Compatibility and Reactivity of UV Absorbers In Clear Wood Coatings, Oct., p. 621.

S

SALATHE, G. F.—see Berg, C. J.
SALTZMAN, M. and KEAY, A. M.—Colorant Identification, June, p. 360.
SASTRY, G. M.—see Rheineck, A. E.
SATO, T.—see Yoshida, T.
SCHNEIDER, M. H. and COTE, W. A., Jr.—Studies of Wood and Coating Interactions Using Fluorescence Microscopy and Pyrolysis Gas-Liquid Chromatogrphy, Aug. p. 564.
SCHURR, G. G., and VAN LOO, M.—Undereave Peeling of House Paints, Mar., p. 128.
SCHWARZER, C. G.—Novel Methods for Curing Polybutadiene Resin Surface Coatings, Sept., p. 523.
SENNETT, P.—see Brooks, L. E.
SHEERIN, T. J. and BRIBER, R. M.—Computers, Chemists, and Costs, Dec., p. 728.
SIPPLE, H. E.—see Larson, E. C.
SKAARUP, K.—see Hansen, C. M.
SMITH, J.—see Glass, A. L.
SMITH, O.—see Long, J. S.
SMYTH, H. F., JR.—Toxicity of Solvents Versus The Hazard of Their Utilization, Mar., p. 23A.
STEPHENSON, H. B.—see Bilek, J. G.
STIEG, F. B., JR.—Particle Size as a Formulating Parameter, Dec., p. 701.
STOLP, J. A.—see Princen, L. H.
STROMBERG, S. E.—see Bieneman, R. A.
STROSBERG, G. G.—see Brewer, G. E. F.
SWANN, M. H., LUND, D. G., and ESPOSITO, G. G.—Determination of Carbon Black In High Gloss Enamels and Lacquers; A New, Rapid Method for the Total Pigment Content Of Solvent-Type Coatings, Apr., p. 191.
SWANN, M. H.—see Esposito, G. G.

T

TANAKA, T.—see Yoshida, T.
TEAGUE, G. S., JR.—see Crowley, J. D.
THAMES, S. F., LONG, J. S., and HSU, K. Y.—The Synthesis of Sulfonyl Isocyanate Polymers, May, p. 255.
THAMES, S. F.—see Long, J. S.
THIERFELDER, C. M.—see Miller, W. R.
TOISHI, K. and KENJO, T.—Alkaline Material Liberated Into Atmosphere From New Concrete, Mar., p. 152.

V

VANDERSALL, H. L.—The Use of a Small Flame Tunnel For Evaluating Fire Hazard, Aug., p. 494.
VAN LOO, M.—see Schurr, G. G.

W

WILLIAMS, D. M. and BACCHETTA, V. L., JR.—Computer Calculation of Paint Formulations, May, p. 267.
WOLF, P. A., BOBALEK, F. J., LALK, R. H., and KENT, M. M.—The Choice of a Paint Film Preservative, Feb. p. 99.

Y

YAMASAKI, R. S.—Chemical Kinetics of Photo-Oxidative Degradation Of Dried Trilinolein Film, Mar., p. 134.
YAMASAKI, R. S.—Coatings to Protect Concrete Against De-Icer Chemicals: A Literature Review, June, p. 394.
YOCUM, R. H.—see Mills, T. L.
YOSHIDA, T., SATO, T., and TANAKA, T.—The Study of the Adsorption of Polydimethylsiloxanes At a Liquid-Solid Interface by a Radio-Tracer Method, Apr., p. 194.

Proceedings of the Paint Research Institute

Ferrocene-Containing Polymers—Potential Applications (Symposium on Metallocenes Report No. 54)—C. U. Pittman, Jr., Oct., p. 585.

Ferrocene Photochemistry (Symposium on Metallocenes Report No. 52)—J. H. Richards, Oct., p. 569.

Metallocene Chemistry (Symposium on Metallocenes Report No. 53)—M. D. Rausch, Oct., p. 576.

Pi-Bonded Structures (Symposium on Metallocenes Report No. 51)—R. R. Myers, Oct., p. 565.

Studies of Wood And Coating Interactions Using Fluorescence Microscopy And Pyrolysis Gas-Liquid Chromatography (Report No. 50)—M. H. Schneider and W. A. Cote, Jr., Aug., p. 465.

Surface Forces and Dimensions (Report No. 47)—J. S. Long, S. Thames, and O. Smith, Apr., p. 169.

Synthesis Of Sulfonyl Isocyanate Polymers (Report No. 48)—S. F. Thames, J. S. Long, O. W. Smith, and K. Y. Hsu, May, p. 255.

Tritium Labeled Metal Surfaces As Radioactive Sources For Thin Films: I. Stability (Report No. 49)—G. R. Coe and J. S. Long, June, p. 335.

Alphabetical Listing of Papers

A

Accuracy of Hiding Power Determinations Based on the Kubelka-Munk Theory—W. L. Boyer, J. A. Manasso, and A. C. Elm, Dec., p. 763.
Acetoxylated Polyethylene: A New Latex Polymer System for Paints—J. H. Fickenscher, Sept., p. 544.
Air Pollution Control by Direct Incineration In the Paint Industry—D. M. Benforado, May, p. 265.
Alkaline Material Liberated Into Atmosphere From New Concrete—K. Toishi and T. Kenjo, Mar., p. 152.
Analysis of the Sward Rocker Hardness Test—P. E. Pierce, R. M. Holsworth, and F. J. Boerio, Oct., p. 593.
Analytical Color Matching—E. A. Allen, June, p. 368.
Attenuated Total Reflectance Studies On Drying Oil Films—A. E. Rheineck, R. H. Peterson, and G. M. Sastry, Aug., p. 484.

C

Carboxyl Terminated Resins For Cross-Linking With Epoxidized Oils—R. B. Graver, Feb., p. 71.
Cationic Linseed Oil Emulsion Paints—L. H. Princen and J. A. Stolp, Oct., p. 616.
Chalk-Fade Evaluation of Pigmented Finishes By Use of Instrumentation and Computer Analysis—W. H. Daiger, W. H. Madson, July, p. 399.
Charismatic Chemist—H. P. Ball, Nov., p. 15A.
Chemical Kinetics of Photo-Oxidative Degradation of Dried Trilinolein Film—R. S. Yamasaki, Mar., p. 134.
Choice of a Paint Film Preservative—P. A. Wolf, F. J. Bobalek, R. H. Lalk, and M. M. Kent, Feb., p. 99.
Clear Finishes for Exterior Wood; Field Exposure Tests—H. E. Ashton, Apr., p. 212.
Coatings Technologists Meeting Challenge of Rule 66—L. A. O'Leary, Mar., p. 26A.
Coatings to Protect Concrete Against De-Icer Chemicals: A Literature Review—R. S. Yamasaki, June, p. 394.
Coil Coatings—W. R. Benesch, July, p. 454.
Color, Strength and Dispersibility of Pigments by the Sherwin-Williams Miniature Sand Mill—B. R. Orwig, Jan., p. 14.
Colorant Identification—M. Saltzman and A. M. Keay, June, p. 360.
Colorimetry—H. R. Davidson, June, p. 355.
Compatibility and Reactivity of UV Absorbers in Clear Wood Coatings—E. C. Rothstein, Oct., p. 621.
Computer Calculation of Paint Formulations—D. M. Williams and V. L. Bacchetta, Jr., May, p. 267.
Computers, Chemists, and Costs—T. J. Sheerin and R. M. Briber, Dec., p. 728.
Crosslinking of Poly (Ester-and Amide-Acetals): Preliminary Studies With Glass Substrates—W. R. Miller, E. H. Pryde, C. M. Thierfelder, E. S. Mooberry, and J. C. Cowan, June, p. 389.

D

Dehydration of Castor Oil by Ion Exchange Resins and Its Subsequent Bodying—N. A. Ghanem and Z. H. Abd El-Latif, Mar., p. 144.
Deterioration Associated With Painted Markings On Asphalt Pavement—R. W. Drisko, Feb., p. 78.
Determination of Carbon Black In High Gloss Enamels and Lacquers; A New, Rapid Method for the Total Pigment Content of Solvent-Type Coatings—M. H. Swann, D. G. Lund, and G. G. Esposito, Apr., p. 191.
Development of a Fast Analytic Method for the Determination of Total Solids Volume of Coatings—Kansas City Society, Nov., p. 672.
Development of a Test Method for Hiding Power—P. B. Mitton, A. J. Madi, and J. W. Rode, Sept., 536.
Diphenolic Acid Ester-Epoxy Polymers—T. J. Miranda, H. R. Herman, and H. J. Roedl, Oct., p. 629.
Direct Determination of Chemical Solvents In Coating Materials by Means of Gas Chromatography—Houston Society, Nov., p. 663.
Durability of Precoated Aluminum Products—K. E. Martin, R. Rolles, July, p. 418.

E

Emulsification of Linseed Oil I. Effects of Oil Viscosity, Temperature, Time of Agitation, and Age of Emulsion On Particle Size Distribution—L. H. Princen, J. A. Stolp, and W. F. Kwolek, Apr., p. 182.
Emulsification of Linseed Oil II. Fitting the Truncated Log Normal Distribution With Coincidence Corrections to Coulter Counter Data—W. F. Kwolek, L. H. Princen, and R. L. Greenspun, Apr., p. 188.
Estimation of Molecular Weights of Vinyl Acetate Copolymers in Latex Paints—H. W. Berger, May, p. 310.
Evaluation of the "Dew Cycle" Method of Accelerated Testing—Northwestern Society, Nov., p. 686.
Evaluation of Zinc Surfaces for Coating Industrial Production Line Products—Pittsburgh Society, Apr., p. 225.
Exterior Durability of Catalyzed Clear Coatings on Redwood—Golden Gate Society, Nov., p. 655.

F

Ferrocene-Containing Polymers-Potential Applications—C. U. Pittman, Jr., Oct., p. 585.
Ferrocene Photochemistry[1,2]—J. H. Richards, Oct., p. 569.
Five Year Test Results: AISI Research Project on Paintability of Galvanized Steel—J. Bigos, H. H. Greene, and G. R. Hoover, May, p. 316.
Ford Electrocoating Process: Prediction of Corrosion Protection from Salt Spray Tests on Throwing Power—G. E. F. Brewer, G. G. Strosberg, and M. E. Horsch, Sept., p. 551.
Formation and Growth of Zinc Phosphate Coatings—G. D. Cheever, Jan., p. 1.
Formulating for Production—Toronto Society, Dec., p. 752.
Formulating Parameters for Organosol Metal Finishes—J. H. Biteman, Jan., p. 31.

G

Gloss Water Thinned Coatings Resins—R. A. Bieneman and S. E. Stromberg, May, p. 290.

I

Identification of Aerosol Propellants In Paint Products by Gas Chromatography—G. G. Esposito and M. H. Swann, June, p. 338.
Investigation of Some Factors in Mildew Growth on Coated Surfaces: A Preliminary Report of Progress—C-D-I-C Society, Nov., p. 650.

K

Ketimines as Latent Epoxy Curing Agents—R. T. Holm, June, p. 385.
Kubelka-Munk Formulas Adapted for Better Computation—W. D. Ross, Aug., p. 515.

L

Laboratory Tests for Customer Product Acceptability—J. Leipertz, July, p. 433.
Latex Paints on Southern Yellow Pine—Piedmont Society, Nov., p. 693.
Look and Think Steps in the Analysis of Color—F. W. Billmeyer, June, p. 342.
Los Angeles Rule 66 and Exempt Solvents—E. C. Larson and H. E. Sipple, May, p. 258.

M

Measuring and Minimizing the Variability in Evaluating Outdoor Exposure Results—P. B. Mitton and R. L. Church, Nov., p. 635.
Mechanisms of Adhesion—J. R. Huntsberger, Apr., p. 199.
Metal Preparation for the Coil Coating Industry—J. W. Ellis, J. I. Maurer, July, p. 460.
Metallocene Chemistry—M. D. Rausch, Oct., p. 576.
Motivating for Profit—W. A. Ninnis and W. H. Maynor, Feb., p. 15A.

N

Novel Methods for Curing Polybutadiene Resin Surface Coatings—C. G. Schwarzer, Sept., p. 523.

O

Oxazoline Modified Thermosetting Acrylics—T. J. Miranda, Jan., p. 40.

P

Particle Size as a Formulating Parameter—F. B. Stieg, Jr., Dec., p. 701.
Performance of Exterior Paints Based on a Vinyl Acetate-Ethylene Emulsion Vehicle—H. P., Beardsley and R. J. Kennedy, Feb., p. 88.
Performance of Polymers in Pigmented Systems—C. J. Berg, W. R. Jarosz, and G. F. Salathe, July, p. 436.
Pi-Bonded Structures—R. R. Myers, Oct., p. 565.
Polyesterification in Batch and in Falling Film Reactors—E. G. Bobalek, H. B. Kendall, Y. C. Chae, and E. R. Moore, Feb., p. 57.
PPG Instrumental Color Control (ICC): Production Methods and Experiences—R. M. Johnston and T. D. Richards, June, p. 377.
Prepainted Steel for Siding—J. Bigos, July, p. 426.
Problem Solving With a Time-Sharing Computer—R. M. Briber, May, p. 284.
Progress in Coil Coating—D. K. Lutes, Sr., July, p. 411.

R

Radiochemical Investigation of the Effect of Pigment on the Diffusion of Ions Through Protective Films—A. L. Glass and J. Smith, Aug., p. 490.
Review of Fundamentals and Advances in Urethane Coating Technology—T. C. Patton, Sept., p. 554.

S

Scanning Electron Micrographs of Pigmented Paint Films—L. E. Brooks, P. Sennett, and H. H. Morris, Aug., p. 472.
Scattering and Absorption of Light by Carbon Black—H. C. Donoian and A. I. Medalia, Dec., p. 716.
Spectrophotometry for the Analysis and Description of Color—R. M. Johnston, June, p. 346.
Statistical Molecular Weight Distribution, Cyclization and Gelling of Alkyd Resin—R. J. Blackinton, Oct., p. 606.
Studies on a Dispersibility Test Using A Controlled Energy Sandmill—New York Society, Nov., p. 677.
Studies in Painting Structural Steel—J. D. Keane, Sept., p. 82A.
Studies of Wood and Coating Interactions Using Fluorescence Microscopy and Pyrolysis Gas-Liquid Chromatography—M. H. Schneider and W. A. Cote, Jr., Aug., p. 564.
Study of the Adsorption of Polydimethylsiloxanes at a Liquid-Solid Interface by a Radio-Tracer Method—T. Yoshida, T. Sato, and T. Tanaka, Apr., p. 194.
Study of Lead Pigments in Water Thinned Prime Coats for Wood—J. G. Bilek, H. J. Hughes, and H. B. Stephenson, May, p. 328.
Surface Forces and Dimensions—J. S. Long, S. Thames and O. Smith, Apr., p. 169.
Synthesis of Sulfonyl Isocyanate Polymers—S. F. Thames, J. S. Long, and K. Y. Hsu, May, p. 255.
Synthetic Latices and Their Use in Water-Based Paints—W. N. Maclay, Mar., p. 156.

T

Thoughts on the Introduction of a New Raw Material To the United Kingdom Paint Industry—Birmingham Society, Nov., p. 645.
Three Dimensional Approach to Solubility: II—J. D. Crowley, G. S. Teague, Jr. and J. W. Lowe, Jr., Jan., p. 19.
Three Dimensional Solubility Parameter—Key to Paint Component Affinities: I. Solvents, Plasticizers, Polymers, and Resins—C. M. Hansen, Feb., p. 104.
Three Dimensional Solubility Parameter-Key to Paint Component Affinities: II. Dyes, Emulsifiers, Mutual Solubility and Compatibility and Pigments—C. M. Hansen, Aug., p. 505.
Three Dimensional Solubility Parameter-Key to Paint Component Affinities: III. Independent Calculation of the Parameter Components—C. M. Hansen and K. Skaarup, Aug., p. 511.
Toxicity of Solvents Versus The Hazard of Their Utilization—H. F. Smyth, Jr., Mar., p. 23A.
Tritium Labeled Metal Surfaces As Radioactive Sources for Thin Films: I. Stability—G. R. Coe and J. S. Long, June, p. 335.
2-Sulfoethyl Methacrylate as a Comonomeric Emulsifier and Emulsion Stabilizer—T. L. Mills and R. H. Yocum, Sept., p. 532.

U

Ultraviolet Light Absorbers in Clear Coatings for Wood—Philadelphia Society, Dec., p. 736.
Undereave Peeling of House Paints—G. G. Schurr and M. Van Loo, Mar., p. 128.
Use of Gel Permeation Chromatography As an Analytical Tool in the Coatings Industry—R. L. Bartosiewicz, Jan., p. 28.
Use of a Small Flame Tunnel For Evaluating Fire Hazard—H. L. Vandersall, Aug., p. 494.

V

Vinyl Chloride Acrylic Polymers as Exterior Coatings—G. J. Antlfinger, May, p. 300.
Vinyl Dispersion Coatings In the Organic Finishes Industry—M. A. Glaser and P. Rosenberg, Jan., p. 43.
Volatile Degradation Products of Organic Coatings Irradiated in Air—P. J. Hearst, Mar., p. 119.

W

Wetting and Wetting—D. M. Gans, Aug., p. 501.

Key Word Index

A

Absorption of light ..... 716—Dec.
Accelerated testing, Dew cycle XW-R Weather-Ometer ..... 454—July
Accelerated weathering ..... 88—Feb., 686—Nov.
Acetoxylated polyethylene ..... 544—Sept.
Acrylic polymers ..... 300—May
Adhesion ..... 51—Jan., 199—Apr., 501—Aug.
Adhesive performance ..... 199—Apr.
Adsorbed monolayers ..... 335—June
Adsorption ..... 51—Jan.
Adsorption, of polydimethylsiloxane at pigment surface ..... 194—Apr.
Aerosol ..... 338—June
Air contamination ..... 152—Mar.
AISI research project ..... 316—May
Alkaline particles ..... 152—Mar.
Alkyd formation ..... 57—Feb.
Alkyd modified latex paints ..... 300—May
Alkyds ..... 300—May
Aluminum ..... 433, 460—July
Aluminum cans and containers ..... 433—July
Analysis ..... 338, 342, 360—June
Analytic method for determination of solids volume ..... 672—Nov.
Analytical separations ..... 28—Jan.
Asphalt pavement ..... 78—Feb.
Attenuated total reflectance (infra-red) ..... 484—Aug.
Attritors ..... 752—Dec.

B

Ball mills ..... 752—Dec.
Blister resistance ..... 88—Feb.
Blistering and peeling ..... 169—Apr.
Blown tung oil alkyds ..... 169—Apr.
Bonding ..... 199—Apr., 565—Oct.
Bridges ..... 82A—Sept.

C

Calcined clay ..... 472—Aug.
Calculations by computer ..... 728—Dec.
Can coating ..... 629—Oct.
Carbon black ..... 716—Dec.
Carbon pigment ..... 191—Apr.
Carboxyl terminated resins ..... 71—Feb.
Castor oil dehydration ..... 144—Mar.
Catalytic dehydration ..... 144—Mar.
Catalyzed clear coatings ..... 655—Nov.
Cationic emulsifiers ..... 616—Oct.
Cellulose acetate butyrate ..... 20—Jan.
Cellulose nitrate ..... 20—Jan.
Cement base paint ..... 316—May
Chalk fade by instrumentation and computer ..... 399—July
Chalk rating ..... 635—Nov.
Chalking ..... 635—Nov.
Chloride ions ..... 490—Aug.
Chromatic paints ..... 536—Sept.
Cis-trans isomers ..... 144—Mar.
Clear coatings ..... 655—Nov.
Clear coatings on wood substrates ..... 465—Aug., 736—Dec.
Clear finish ..... 212—Apr.
Clear wood coatings ..... 621—Oct.
Coalescence ..... 544—Sept.
Coated aluminum ..... 433—July
Coating industrial production line products ..... 225—Apr.
Coating uniformity ..... 335—June
Coatings ..... 394—June
Coatings for glass containers ..... 389—June
Coefficient of rolling friction ..... 593—Oct.
Coil coating ..... 411, 426, 460—July
Coil coating equipment ..... 426—July
Coil coatings ..... 436, 454—July
Color ..... 342, 346, 355, 368—June
Color change of coatings ..... 418—July
Color matching ..... 360, 377—June
Color measurement ..... 342, 346—June
Colorant analysis ..... 346—June
Colorant formulation ..... 377—June
Colorimeter ..... 536—Sept.
Colorimetry ..... 368—June
Compatibility ..... 505—Aug.
Comonomeric emulsifier ..... 532—Sept.
Computation ..... 355—June
Computation of scattering ..... 515—Aug.
Computer ..... 368—June
Computer color control ..... 377—June
Computers in a paint and resin laboratory ..... 728—Dec.
Concrete ..... 394—June
Conjugation in oils ..... 144—Mar.
Contact angle ..... 501—Aug.
Continuous coating and processing equipment ..... 411—July
Controlled energy sandmill ..... 677—Nov.
Conversion coating ..... 460—July
Copolymer ..... 310—May
Copolymer vinyl acetate ..... 300—May
Correlation ..... 677—Nov.
Corrosion protection ..... 551—Sept.
Coulter counter ..... 182, 188—Apr.
Cowles disperser ..... 752—Dec.
Crack resistance ..... 88—Feb.
Critical PVC ..... 51—Jan., 701—Dec.
Crosslinking agents ..... 523—Sept.
Crystal growth ..... 1—Jan.
Curing agents ..... 71—Feb.
Cyclization ..... 606—Oct.
Cyclopentadienyl-metal compounds ..... 576—Oct.

D

Degradation in air ..... 119—Mar.
Dehydrated castor oil ..... 144—Mar., 484—Aug.
De-icer ..... 394—June
Delaminated kaolin ..... 472—Aug.
Delocalization ..... 565—Oct.
Deterioration ..... 152—Mar.
Determination of solvents ..... 663—Nov.
Dew cabinet ..... 128—Mar.
Dew-cycle Weather-Ometer ..... 686—Nov.
Dew point Weather-Ometer ..... 43—Jan.
Diffuse reflectance of carbon black ..... 716—Dec.
Diffusion rates ..... 490—Aug.
Dimethylol phenols or sulfur ..... 523—Sept.
Diphenolic acid ..... 629—Oct.
Dipole moment μ ..... 20—Jan.
Direct injection of paint ..... 663—Nov.
Dispersibility ..... 677—Nov.
Dispersion ..... 14—Jan., 752—Dec.
Dispersion coatings ..... 43—Jan.
Dispersion resins ..... 43—Jan.
Displacement ..... 501—Aug.
Distribution ..... 606—Oct.
DPA ..... 629—Oct.
DPA ester ..... 629—Oct.
Drying oils ..... 484—Aug.
Drying speeds of varnishes ..... 736—Dec.
Durability ..... 436—July

E

Electrocoating ..... 551—Sept.
Electron microscopy ..... 1—Jan.
Electron probe ..... 1—Jan.
Electrophoretic deposition ..... 551—Sept.
Elongation ..... 88—Feb.
Emulsion ..... 182—Apr.
Emulsion paints ..... 616—Oct.
Emulsion stabilizer ..... 532—Sept.
Emulsions ..... 188—Apr.
Enamels ..... 191—Apr.
End group analysis ..... 57—Feb.
Epoxidized oil ..... 71—Feb.
Epoxidized oil curing agents ..... 71—Feb.
Epoxy ..... 629—Oct., 655—Nov.
Epoxy coatings ..... 385—June
Epoxy ester ..... 629—Oct.
Ester formation ..... 57—Feb.
Evaluation of raw materials ..... 645—Nov.
Experimental design ..... 436—July
Exposure ..... 436—July, 635, 650, 655—Nov.
Exposure fences ..... 128—Mar.
Exposure tests of coatings for industrial production line products ..... 225—Apr.
Extenders ..... 472—Aug.
Exterior ..... 655—Nov.
Exterior clear ..... 212—Apr.
Exterior durability ..... 43—Jan., 328—May, 686—Nov.
Exterior exposure ..... 212—Apr., 636—Nov.
Exterior exposures on wood ..... 736—Dec.
Exterior exposure tests ..... 316—May
Exterior latex paints ..... 300—May
Exterior paint vehicle ..... 88—Feb.
Exterior surfaces ..... 551—Sept.
Exterior wood finish ..... 212—Apr.
Exterior wood primer ..... 328—May

F

Fadometers ..... 736—Dec.
Falling film reactor ..... 57—Feb.
Ferrocene ..... 569, 576, 585—Oct.
Field testing of paints ..... 82A—Sept.
Film coalescence ..... 43—Jan.
Film thickness ..... 536—Sept.
Fineness of grind ..... 51—Jan.
Fire retardancy ..... 494—Aug.
Flame spread ..... 494—Aug.
Flame tunnel ..... 494—Aug.
Flow point ..... 752—Dec.
Fluorescence microscopy ..... 465—Aug.
Fluorocarbon coatings ..... 43—Jan.
Fluorocarbons ..... 454—July
Fluoropolymers ..... 43—Jan.
Formulating system for urethanes ..... 554—Sept.
Formula conversion ..... 752—Dec.
Formulating ..... 752—Dec.
Formulation ..... 355—June
Fractionation ..... 606—Oct.
Free-films ..... 88—Feb.
Free vehicle films ..... 119—Mar.

G

Galvanized and galvannealed steel ..... 225—Apr.
Galvanized steel ..... 316—May, 426, 460—July
Gas chromatography ..... 338—June
Gas-liquid chromatography ..... 465—Aug., 663—Nov.
Gel permeation chromatography ..... 28—Jan.
Gelation ..... 606—Oct.
Gloss ..... 635—Nov.
Gloss retention ..... 418—July, 635—Nov.
Grain boundary ..... 1—Jan.

H

Hazardous materials ..... 23A—Mar.
Hegman gage ..... 677—Nov.
Hiding power ..... 515—Aug., 536—Sept., 701—Dec.
Hiding power determinations ..... 763—Dec.
Highway structures ..... 82A—Sept.
House paints ..... 128—Mar.
Hydrogen ..... 104—Feb.
Hydrogen bonding ..... 20—Jan.

I

Identification of dispersed alkaline particles ..... 152—Mar.
Immersion ..... 501—Aug.
Infrared analysis ..... 119, 134—Mar.
Instrumentation ..... 355—June
Intercoat peeling ..... 128—Mar.
Interface ..... 1—Jan.
Interfacial contact ..... 199—Apr.
Interior surfaces ..... 551—Sept.
Intrinsic viscosity ..... 310—May
Intumescence ..... 494—Aug.
Ion exchange resin ..... 144—Mar.

K

Ketimines ..... 385—June
Kinetics ..... 28—Jan.
Kinetics of degradation ..... 134—Mar.
Kinetics of esterification ..... 57—Feb.
Kubelka-Munk ..... 515—Aug., 763—Dec.
Kubelka-Munk two-constant theory of light scattering ..... 536—Sept.

L

Labeled sources ..... 335—June
Laboratory tests ..... 433—July
Lacquers ..... 191—Apr.
Latent epoxy curing agents ..... 385—June
Latex ..... 156—Mar., 310—May
Latex house paints ..... 300—May
Latex paints ..... 316—May, 693—Nov.
Latexes ..... 532—Sept.
Lead compounds ..... 328—May
Light microscopy ..... 1—Jan.
Linseed oil ..... 182, 188—Apr., 484—Aug., 616—Oct.
Locus of adhesive failure ..... 199—Apr.

M

Mark-Houwink ..... 310—May
Marking paints ..... 78—Feb.
Matching ..... 368—June
Measurement ..... 355—June
Mercury-arc irradiation ..... 119—Mar.
Metal driers ..... 621—Oct.
Metal finishes ..... 51—Jan.
Metal preparation ..... 460—July
Metal pretreatment ..... 460—July
Metallocenes ..... 565, 569, 585—Oct.
Metallocenyl carbonium ions ..... 576—Oct.
Metallo-organics ..... 565—Oct.
Metamerism ..... 346—June
Methods, fungistatic paint determination ..... 99—Feb.
Mildew growth ..... 650—Nov.
Mildewcide ..... 650—Nov.
Miniature mill ..... 14—Jan.
Moisture cured urethanes ..... 554—Sept.
Molecular structure ..... 565—Oct.
Molecular weight ..... 310—May, 606—Oct.
Molecular weight distribution ..... 28—Jan.

N

Nonchromatic paints ..... 536—Sept.
Non-mercurial mildewcide ..... 650—Nov.
New concrete ..... 152—Mar.
Number average molecular weight ..... 28—Jan.

O

Organic coatings ..... 119—Mar., 338—June, 736—Dec.
Organic coatings degradation ..... 418—July
Organic coatings durability ..... 418—July
Organometallics ..... 565—Oct.
Organometallic polymers ..... 576—Oct.
Organosol ..... 51—Jan.
Organosols ..... 43—Jan.
Organotransition metal compounds ..... 576—Oct.
Outdoor weathering ..... 621—Oct.

P

Paint ..... 338—June, 494—Aug.
Paint, fungistatic ..... 99—Feb.
Paint, fungistatic test methods ..... 99—Feb.
Paint, mildew resistant ..... 99—Feb.
Paint surfaces ..... 472—Aug.
Parameter components ..... 511—Aug.
Particle shape ..... 472—Aug.
Particle size ..... 701—Dec.
Particle size distributions ..... 182, 188—Apr.
Peeling ..... 128—Mar.
Pendulum hardness ..... 593—Oct.
Permeation ..... 490—Aug.
Photochemical processes ..... 569—Oct.
Photodegradation ..... 119—Mar.
Photo-oxidative degradation ..... 134—Mar.
Photosynthesis ..... 569—Oct.
Pi-bond ..... 565—Oct.
Pigment-binder-solvent interactions ..... 505—Aug.
Pigment dispersion ..... 14—Jan.
Pigment level ..... 51—Jan.
Pigment particles ..... 701—Dec.
Pigment test method ..... 677—Nov.
Pigment wetting ..... 51—Jan.
Pigments ..... 360—June, 490—Aug.
Plastics ..... 736—Dec.
Polarity ..... 104—Feb., 505, 511—Aug.
Poly (amide-acetals) ..... 389—June
Polybutadiene resin surface coatings ..... 523—Sept.
Polydimethysiloxane, adsorption at pigment surface .... 194-Apr.
Polyester ..... 655—Nov.
Poly (ester-acetals) ..... 389—June
Polyesterification ..... 57—Feb.
Polymer ..... 310—May
Polymeric films ..... 490—Aug.
Polymers ..... 28—Jan., 585—Oct.
Polyurethane ..... 655—Nov.
Polyvinyl acetate ..... 310—May, 544—Sept.
Polyvinylferrocene ..... 585—Oct.
Porosity ..... 701—Dec.
Precoated aluminum ..... 418—July
Precoated metal ..... 411—July
Prepainted steel siding ..... 426—July
Preshrunk films ..... 169—Apr.
Primer coatings for galvanized and galvannealed steel ..... 225—Apr.
Primers for wood ..... 693—Nov.
Probability theory, free TDI ..... 554—Sept.
Process control ..... 335—June
Production color control ..... 377—June
Propellants ..... 338—June

Q

Quality control ..... 28—Jan.
Quantitative method for measuring pigment content .. 191—Apr.
Quaternary ammonium salts ..... 616—Oct.

R

Radioactive tracer studies ..... 490—Aug.
Radioactivity ..... 335—June
Raw materials ..... 645—Nov.
Redwood ..... 655—Nov.
Reflectance computations ..... 515—Aug.
Reflectivity ..... 78—Feb.
Reproducibility ..... 677—Nov.
Resins ..... 606—Oct.

S

Safety ..... 23A—Mar.
Safflower oil ..... 484—Aug.
Sand grinding ..... 14—Jan.
Sand mill ..... 752—Dec.
Scanning electron microscope ..... 472—Aug.
Scattering coefficient ..... 515—Aug., 536—Sept.
Scattering of light ..... 716—Dec.
Second order transition ..... 544—Sept.
Sigma-bond ..... 565—Oct.
Silicone ..... 194—Apr.
Silicone-acrylics ..... 454—July
Silicone copolymers ..... 43—Jan.
Silicone-polyester ..... 454—July
Slurry seal ..... 78—Feb.
Sodium ions ..... 490—Aug.
Solids volume of coatings ..... 672—Nov.
Solubility ..... 104—Feb., 505, 511—Aug.
Solubility parameter ..... 20—Jan., 104—Feb., 505, 511—Aug.
Solution theory ..... 20—Jan.
Solvent-resistant coatings ..... 389—June
Solvent-type organic coatings ..... 191—Apr.
Specifications for paints ..... 82A—Sept.
Spectrophotometer ..... 536—Sept.
Spectrophotometry ..... 346, 360, 368—June
Spreading ..... 501—Aug.
Stabilizers ..... 51—Jan.
Stain control ..... 328—May
Statistical analysis ..... 78—Feb.
Statistical molecular weight ..... 606—Oct.
Statistics ..... 436—July
Steel ..... 1—Jan., 460—July
Strip lines ..... 460—July
Structural steel ..... 82A—Sept.
Structure ..... 565—Oct.
Sulfonic acid ..... 144—Mar.
Surface density ..... 1—Jan.
Surface preparation of steel ..... 82A—Sept.
Surface smoothness ..... 472—Aug.
Surfactant balance ..... 51—Jan.
Sward hardness ..... 593—Oct.
Swelling ..... 169—Apr.

T

Tensile strength ..... 88—Feb.
Testing of raw materials ..... 645—Nov.
Thinner balance ..... 51—Jan.
Three-dimensional solubility plot ..... 20—Jan.
Throwing power ..... 551—Sept.
Time-shared computer ..... 728—Dec.
Tissue peeling ..... 128—Mar.
Titanium dioxide pigment ..... 635—Nov.
Toxicity of solvents ..... 23A—Mar.
Toxicology ..... 23A—Mar.
Traffic paint ..... 78—Feb.
Trilinolein ..... 134—Mar.
Tritium ..... 335—June
Two-package urethane coatings ..... 554—Sept.
2-Sulfoethyl methacrylate ..... 532—Sept.

U

Ultraviolet light ..... 119—Mar.
Ultraviolet radiation ..... 134—Mar.
Undereave peeling ..... 128—Mar.
Urethane coatings ..... 554—Sept.
UV absorber compatibility ..... 621—Oct.
UV absorber reactivity ..... 621—Oct.
UV absorbers ..... 576—Oct., 736—Dec.

V

Vapor phase gas chromatography ..... 663—Nov.
Vinyl acetate ethylene ..... 544—Sept.
Vinyl acetate-ethylene emulsion ..... 88—Feb.
Vinyl chloride acrylic-polymers ..... 300—May
Vinyl coatings ..... 43—Jan.
Vinyl paste resins ..... 51—Jan.
Vinyl solution resins ..... 51—Jan.
Viscoelasticity and adhesion ..... 199—Apr.
Viscosity ..... 701—Dec.
Volatile decomposition products ..... 119—Mar.

W

Waste disposal ..... 460—July
Water-based paint ..... 156—Mar.
Weather-Ometer ..... 436—July
Weathering, accelerated vs. natural ..... 418—July
Weight average molecular weight ..... 28—Jan.
Weight loss ..... 436—July
Wet adhesion ..... 88—Feb.
Wetting ..... 501—Aug.
Wetting and adhesion ..... 199—Apr.
White topcoats for wood ..... 693—Nov
Wood finish ..... 212—Apr.

X

X-ray diffraction ..... 1—Jan.
Xenon-arc irradiation ..... 119—Mar.

Y

Yellow pine paints ..... 693—Nov.

Z

Zinc oxide ..... 128—Mar.
Zinc phosphate coating ..... 1—Jan.
Zinc phosphate crystal ..... 1—Jan.
Zinc surfaces, evaluation of for coating ..... 225—Apr.

Mattiello Memorial Lecture

Particle Size as a Paint Formulating Parameter—F. B. Stieg, Jr., Dec., p. 701.

Constituent Society Papers

Birmingham

Thoughts on the Introduction of a New Raw Material To the United Kingdom Paint Industry—Nov., p. 645.

C-D-I-C

Investigation of Some Factors in Mildew Growth On Coated Surfaces: A Preliminary Report of Progress—Nov., p. 650.

Golden Gate

Exterior Durability of Catalyzed Clear Coatings On Redwood—Nov., p. 655.

Houston

Direct Determination of Chemical Solvents In Coating Materials by Means of Gas Chromatography—Nov., p. 663.

Kansas City

Development of a Fast Analytic Method for the Determination of Total Solids Volume of Coatings—Nov., p. 672.

New York

Studies on a Dispersibility Test Using A Controlled Energy Sandmill—Nov., p. 677.

Northwestern

Evaluation of the "Dew Cycle" Method of Accelerated Testing—Nov., p. 686.

Philadelphia

Ultraviolet Light Absorbers in Clear Coatings for Wood—Dec., p. 736.

Piedmont

Latex Paints on Southern Yellow Pine—Nov., p. 693.

Pittsburgh

Evaluation of Zinc Surfaces for Coating Industrial Production Line Products—Apr., p. 225.

Toronto

Formulating for Production—Dec., p. 752.